Subject Index

A

abdominal wall
Reconstruction of a large lateral —— defect with an ilio-lumbar bi-pedicled flap. H. Ohtsuka, K. Ochi & H. Seike, 327
acral lentiginous melanoma
— — —: an illustrative case report and brief review of the literature. D. J. Ward, N. M. Breach & S. P. Hall-Smith, 619
acromiothoracic axis
The vascular territory of the — —. C. D. Reid & G. I. Taylor, 194
alar swing technique
The — — — in the correction of the saddle nose deformity. M. J. Earley & J. Lendrum, 307
amnion
The long-term results of the use of human — in the treatment of leg ulcers. D. J. Ward & J. P. Bennett, 191
anaerobes
Successful prophylaxis with tinidazole of infection after major head and neck surgery for malignant disease. G. Sweeney, J. D. Watson, I. A. McGregor & J. D. Sleigh, 35
anastomosis
Spontaneous — of vessels approximately 100 μ in diameter: an experimental study. J. Smahel & B. Jentsch, 236
arterialised
Vascularised nerve grafts using composite — neuro-venous systems. P. L. G. Townsend & G. I. Taylor, 1
arteriography
— and selective embolisation in the control of life-threatening haemorrhage following facial fractures. O. N. Mehrotra, G. E. D. Brown, W. P. Widdowson & J. P. Wilson, 482
axial pattern flap(s)
Q.E.D. flaps (? *demonstrandum*, *disputandum* or *deprecandum*): three useful — — — in tropical African surgery. A. P. Landra, 580
axial pattern flap(s)
The superficial external pudendal artery (SEPA) — — —. A. D. Dias, 256

B

bacteroides
Successful prophylaxis with tinidazole of infection after major head and neck surgery for malignant disease. G. Sweeney, J. D. Watson, I. A. McGregor & J. D. Sleigh, 35
bites
Human —: a review. M. J. Earley & A. F. Bardsley, 458
bleeding
A successful case of urethral reconstruction in a child with persistent urethral — due to an extensive cavernous haemangioma. K. Maeda, 536
blood flow
Acute effects of tobacco smoking on — — in the cutaneous micro-circulation. W. F. Reus, M. C. Robson, L. Zachary & J. P. Heggers, 213
brain
Penetrating Marjolin's ulcer of scalp involving bone and dura mater treated by wide excision and direct application of a split-skin graft on the —: a 10-year follow-up. G. F. Maillard & A. Landolt, 463
breast reconstruction
Potential problems with the transverse rectus abdominis myocutaneous flap in — — and how to avoid them. G. S. Georgiade, V. E. Voci, R. Riefkohl & M. Scheflan, 121
Soft tissue reconstruction of the breast using an extended composite latissimus dorsi myocutaneous flap. D. R. Marshall, E. J. Anstee & M. J. Stapleton, 361
The results of — — following mastectomy. G. G. Cooper, M. H. C. Webster & G. Bell, 369
burn(s)
— injury to the face with associated fracture caused by a flare gun: a case report. J. H. Stevenson & H. G. Thomson, 61
Immediate excision and skin graft of a friction — in a replanted thumb with a note on its usefulness and indications. D. J. M. Emerson & R. E. Page, 624

C

calcaneal artery
Lateral — — island flaps. J. Holmes & C. R. W. Rayner, 402
Chinese forearm flap
A compound radial artery forearm flap in hand surgery: an original modification of the — — —. G. Foucher, F. van Genechten, N. Merle & J. Michon, 139
chondroma
Nasal —: a case report. N. Kurozumi & H. Kamiishi, 247
cigarette smoking
The detrimental effect of — — on flap survival: an experimental study in the rat. W. T. Lawrence, R. C. Murphy, M. C. Robson & J. P. Heggers, 216
cleft lip
Radical muscle mobilisation in the surgical repair of a unilateral — —: a follow up report. R. L. Thatte & S. Prasad, 296
cleft palate
Middle ear function in — —. A. Gopalakrishna, K. S. Goleria & A. Raje, 558
cleft palate fistulae
Tongue flap repair of — — —. R. W. Pigott, F. W. Rieger & A. Frazer Moodie, 285
composite graft(s)
The possible applications of a — skin and subcutaneous vein — in the replantation of amputated digits. T. Honda, S. Nomura, S. Yamauchi, K. Shimamura & M. Yoshimura, 607
Use of large — — in the reconstruction of deformities of the nose and ear. J. M. Avelar, J. M. Psillakis & F. Viterbo, 55
compound flap
A — radial artery forearm — in hand surgery: an original modification of the Chinese forearm flap. G. Foucher, F. van Genechten, N. Merle & J. Michon, 139

compound fracture
Burn injury to the face with associated fracture caused by a flare gun: a case report. J. H. Stevenson & H. G. Thomson, 61
congenital cranio-facial dysmorphosis
— — — — associated with Ito's syndrome (incontinentia pigmenti achromians): a case report. M. Stricker, M. Meley, J. F. Chassagne & J. Beurey, 472
congenital short urethra
Splitting the prepuce to provide two independently vascularised flaps: a one-stage repair of hypospadias and — — —. D. L. Harris, 108
congested flaps
The salvage of — skin — by the application of leeches. A. G. G. Batchelor, P. Davison & L. Sully, 358
contralateral thigh
Secondary malignant melanoma arising in a — — donor site. N. R. McLean & J. G. Boorman, 386
cosmetic rhinoplasty
Psychological aspects of — —. P. Marcus, 313
cranio-facial dysmorphosis
Congenital — — — associated with Ito's syndrome (incontinentia pigmenti achromians): a case report. M. Stricker, M. Meley, J. F. Chassagne & J. Beurey, 472
cutaneous lymphomas
— — of the face and scalp. N. F. Jones, D. Elliot & S. G. Subbuswamy, 69
cutaneous melanoma(s)
A study of the thickness of uninvolved dermis beneath — malignant —: the ratio of uninvolved dermis to tumour thickness (DT:TT) as a prognostic index. P. J. Saxby, R. W. Griffiths, C. M. Corbishley & J. C. Briggs, 496
Experience of thin — — (<0.76 mm and <0.85 mm thick) in a large plastic surgery unit: a 5 to 17 year follow up. J. C. Briggs, N. B. N. Ibrahim, A. G. Hastings & R. W. Griffiths, 501
Long term follow-up in — malignant —: the relationship of maximal tumour thickness to disease free survival, disease recurrence and death. R. W. Griffiths & J. C. Briggs, 507

D

decompression
The surgical management of intractable venous ulceration in the lower limbs: excision, — of the limb and split-skin grafting. J. M. Porter, R. W. Griffiths & D. C. McNeill, 179
de-epithelialised
The application of — "turn-over" flaps to the treatment of inverted nipples. B. Haeseker, 253
dental malocclusion
Digital deformities and — — due to finger sucking. D. A. Campbell Reid & A. H. K. Price, 445
desmoids
Aggressive fibromatosis (extra-abdominal desmoids) of the head and neck. S. J. Siemssen & T. Anagnostaki, 453
digital deformities
— — and dental malocclusion due to finger sucking. D. A. Campbell Reid & A. H. K. Price, 445
digital revascularisation
The damaging effect of smoking on — —: two further case reports. G. R. Wilson & B. M. Jones, 613
digits
The possible applications of a composite skin and subcutaneous vein graft in the replantation of amputated —. T. Honda, S. Nomura, S. Yamauchi, K. Shimamura & M. Yoshimura, 607
donor site(s)
A fortuitous — — for full-thickness skin grafts in the correction of syndactyly. A. R. Rowsell & A. M. Godfrey, 31
Secondary malignant melanoma arising in a contralateral thigh — —. N. R. McLean & J. G. Boorman, 386
The morbidity of split-skin graft — — in the elderly: the case for mesh-grafting the — —. M. F. Fatah & C. M. Ward, 184
Doppler ultrasound
— — in the evaluation of experimental microvascular grafts. C. J. O'Brien, J. P. Harris & J. May, 596
Dupuytren's contracture
Fasciotomy and Z-plasty in the management of — —. J. D. Watson, 27
dura mater
Penetrating Marjolin's ulcer of scalp involving bone and — — treated by wide excision and direct application of a split-skin graft on the brain: a 10-year follow-up. G. F. Maillard & A. Landolt, 463

E

ear
Middle — function in cleft palate. A. Gopalakrishna, K. S. Goleria & A. Raje, 558
Skin expansion as an adjunct to reconstruction of the external —. R. M. Oneal, R. J. Rohrich & P. H. Izenberg, 517
Use of large composite grafts in the reconstruction of deformities of the nose and —. J. M. Avelar, J. M. Psillakis & F. Viterbo, 55
elderly
The morbidity of split-skin graft donor sites in the —: the case for mesh-grafting the donor site. M. F. Fatah & C. M. Ward, 184
embolisation
Arteriography and selective — in the control of life-threatening haemorrhage following facial fractures. O. N. Mehrotra, G. E. D. Brown, W. P. Widdowson & J. P. Wilson, 482
endaural approach
A truly — — to the temporo-mandibular joint. A. D. Dias, 65
epigastric flap
The versatile deep inferior — (inferior rectus abdominis) —. G. I. Taylor, R. J. Corlett & J. B. Boyd, 330
experimental study
Doppler ultrasound in the evaluation of experimental microvascular grafts. C. J. O'Brien, J. P. Harris & J. May, 596
Free revascularised periosteum transplantation: an — —. F. A. J. M. van den Wildenberg, K. J. A. Goris & M. B. J. E. Tutein Nolthenius-Puylaert, 226
On twisting bandages: an — —. P. D. Malimson, 626
Prostanoid derivatives in experimental flap delay with formic acid. W. T. Lawrence, R. C. Murphy, M. C. Robson & J. P. Heggers, 602

Rectus femoris muscle grafts performed with and without vascular anastomosis: an — — in the rabbit. P. J. Guelinckx, R. Dom, M. Bex, W. D. Boeckx & J. A. Gruwez, 584
Spontaneous anastomosis of vessels approximately 100 μ in diameter: an experimental study. J. Smahel & B. Jentsch, 236
The detrimental effect of cigarette smoking on flap survival: an — — in the rat. W. T. Lawrence, R. C. Murphy, M. C. Robson & J. P. Heggers, 216
The intra-uterine healing of foetal muscle wounds: — — in the rat. A. R. Rowsell, 635
The use of subcutaneous tissue flaps in the repair of soft tissue defects of the forearm and hand: an — and clinical — of a new technique. F. M. Marty, D. Montandon, R. Gumener & Z. Zbrodowski, 95

F

face
Arteriography and selective embolisation in the control of life-threatening haemorrhage following facial fractures. O. N. Mehrotra, G. E. D. Brown, W. P. Widdowson & J. P. Wilson, 482
Burn injury to the — with associated fracture caused by a flare gun: a case report. J. H. Stevenson & H. G. Thomson, 61
Cutaneous lymphomas of the — and scalp. N. F. Jones, D. Elliot & S. G. Subbuswamy, 69
Partial thickness scalp grafts: clinical experience of their use in resurfacing facial defects. T. Finucan, J. Budo & J. A. Clarke, 468
facial artery
Reconstruction of the lower lip with a fan-shaped flap based on the — —. T. Nakajima, Y. Yoshimura & T. Kami, 52
fan flap
Reconstruction of the lower lip with a fan-shaped flap based on the facial artery. T. Nakajima, Y. Yoshimura & T. Kami, 52
fascia
The use of the — of the lower leg as a roll-over flap: its possible clinical applications in reconstructive surgery. R. L. Thatte & N. Laud, 88
fascio-cutaneous flap(s)
A classification of — — according to their patterns of vascularisation. G. C. Cormack & B. G. H. Lamberty, 80
The lateral thigh — — in the repair of ischial and trochanteric defects. Y. Maruyama, K. Ohnishi & S. Takeuchi, 103
fasciotomy
— and Z-plasty in the management of Dupuytren's contracture. J. D. Watson, 27
feeding aid
The Chepstow — —. J. Fawkes, M. Hughes & M. F. Green, 407
fibromatosis
Aggressive — (extra-abdominal desmoids) of the head and neck. S. J. Siemssen & T. Anagnostaki, 453
finger sucking
Digital deformities and dental malocclusion due to finger sucking. D. A. Campbell Reid & A. H. K. Price, 445
flap(s)
A classification of fascio-cutaneous — according to their patterns of vascularisation. G. C. Cormack & B. G. H. Lamberty, 80
A compound radial artery forearm — in hand surgery: an original modification of the Chinese forearm flap. G. Foucher, F. van Genechten, N. Merle & J. Michon, 139
A gracilis myocutaneous — for reconstruction of the scrotum, 171
A neurovascular island — from the first web space of the foot to repair a defect over the heel: case report. G. Gulyás, F. Máté & I. Kartik, 398
Composite osteo-cutaneous groin — for the reconstruction of wrist and forearm defects. S. Acartürk & E. Özmen, 388
Lateral calcaneal artery island —. J. Holmes & C. R. W. Rayner, 402
Local transposition of a distally-based island forearm — to close a complicated excisional wrist defect in a nonagenarian: some anatomical and clinical considerations. A. M. Godfrey, M. D. Poole, A. R. Rowsell & R. J. Rohrich, 493
Lower limb salvage using an extended free radial forearm —. N. Waterhouse, A. L. H. Moss & P. L. G. Townsend, 394
One-stage ante-thoracic reconstruction of the thoracic oesophagus using myocutaneous —. Y. Miyamoto, T. Hattori & Y. Nosoh, 577
Oral mucosal — in midfacial reconstruction. C. R. W. Rayner, 43
Potential problems with the transverse rectus abdominis myocutaneous — in breast reconstruction and how to avoid them. G. S. Georgiade, V. E. Voci, R. Riefkohl & M. Scheflan, 121
Q.E.D. — (? *demonstrandum*, *disputandum* or *deprecandum*): three useful axial pattern flaps in tropical African surgery. A. P. Landra, 580
Reconstruction of a large lateral abdominal wall defect with an ilio-lumbar bi-pedicled —. H. Ohtsuka, K. Ochi & H. Seike, 327
Reconstruction of the lower lip with a fan-shaped — based on the facial artery. T. Nakajima, Y. Yoshimura & T. Kami, 52
Repair of a prostato-membranous urethral stricture with a gracilis myocutaneous —. T. Nakajima, Y. Naide & T. Kami, 539
Soft tissue reconstruction of the breast using an extended composite latissimus dorsi myocutaneous —. D. R. Marshall, E. J. Anstee & M. J. Stapleton, 361
Splitting the prepuce to provide two independently vascularised —: a one-stage repair of hypospadias and congenital short urethra. D. L. Harris, 108
The application of de-epithelialised "turn-over" — to the treatment of inverted nipples. B. Haeseker, 253
The free thigh —: a new free flap concept based on the septocutaneous artery. Y. G. Song, G. Z. Chen & Y. L. Song, 149
The lateral thigh fascio-cutaneous — in the repair of ischial and tronchanteric defects. Y. Maruyama, K. Ohnishi & S. Takeuchi, 103
The radial forearm — in the management of soft tissue injuries of the hand. D. S. Soutar & N. S. Tanner, 18
The salvage of congested skin — by the application of leeches. A. G. G. Batchelor, P. Davison & L. Sully, 358

The superficial external pudendal artery (SEPA) axial pattern —. A. D. Dias, 256
The true pectoralis major myocutaneous island —: an anatomical study. W. I. Wei, K. H. Lam & J. Wong, 568
The ulnar artery forearm free —. M. J. Lovie, G. M. Duncan & D. W. Glasson, 486
The use of a rectus abdominis myocutaneous — to reconstruct a groin defect. S. E. Logan & S. J. Mathes, 351
The use of subcutaneous tissue — in the repair of soft tissue defects of the forearm and hand: an experimental and clinical study of a new technique. F. M. Marty, D. Montandon, R. Gumener & Z. Zbrodowski, 95
The use of the fascia of the lower leg as a roll-over —: its possible clinical applications in reconstructive surgery. R. L. Thatte & N. Laud, 88
The versatile deep inferior epigastric (inferior rectus abdominis) —. G. I. Taylor, R. J. Corlett & J. B. Boyd, 330
Tongue — repair of cleft palate fistulae. R. W. Pigott, F. W. Rieger & A. Frazer Moodie, 285
flap delay
Prostanoid derivatives in experimental — — with formic acid. W. T. Lawrence, R. C. Murphy, M. C. Robson & J. P. Heggers, 602
flap survival
The detrimental effect of cigarette smoking on — —: an experimental study in the rat. W. T. Lawrence, R. C. Murphy, M. C. Robson & J. P. Heggers, 216
flare gun
Burn injury to the face with associated fracture caused by a — —: a case report. J. H. Stevenson & H. G. Thomson, 61
foetal muscle wounds
The intra-uterine healing of — — —: experimental study in the rat. A. R. Rowsell, 635
foot
A neurovascular island flap from the first web space of the — to repair a defect over the heel: case report. G. Gulyás, F. Máté & I. Kartik, 398
forearm
Composite osteo-cutaneous groin flap for the reconstruction of wrist and — defects. S. Acartürk & E. Özmen, 388
forearm flap
A compound radial artery — — in hand surgery: an original modification of the Chinese forearm flap. G. Foucher, F. van Genechten, N. Merle & J. Michon, 139
Local transposition of a distally-based island — — to close a complicated excisional wrist defect in a nonagenarian: some anatomical and clinical considerations. A. M. Godfrey, M. D. Poole, A. R. Rowsell & R. J. Rohrich, 493
Lower limb salvage using an extended free radial — —. N. Waterhouse, A. L. H. Moss & P. L. G. Townsend, 394
The radial — — in the management of soft tissue injuries of the hand. D. S. Soutar & N. S. Tanner, 18
The ulnar artery — free —. M. J. Lovie, G. M. Duncan & D. W. Glasson, 486
forehead flap
The importance of symmetry in — — rhinoplasty. N. B. Hart & J. H. Goldin, 477
forceps
Nasal retrieval —: a modified Kocher forceps. J. D. Nancarrow & S. P. Kay, 411
A combination of scissors and micro-forceps: a new microsurgical instrument. R. van Twisk, 631
formic acid
Prostanoid derivatives in experimental flap delay with — —. W. T. Lawrence, R. C. Murphy, M. C. Robson & J. P. Heggers, 602
free flap
Lower limb salvage using an extended — radial forearm —. N. Waterhouse, A. L. H. Moss & P. L. G. Townsend, 394
The free thigh flap: a new — — concept based on the septocutaneous artery. Y. G. Song, G. Z. Chen & Y. L. Song, 149
The ulnar artery forearm — —. M. J. Lovie, G. M. Duncan & D. W. Glasson, 486
free tissue transfer
A multiple territory — — — for reconstruction of a large scalp defect. A. G. G. Batchelor & L. Sully, 76
friction burn
Immediate excision and skin graft of a — — in a replanted thumb with a note on its usefulness and indications. D. J. M. Emerson & R. E. Page, 624
fronto-ethmoidal
— — meningoencephaloceles: morphology and treatment. D. J. David, L. Sheffield, D. Simpson & J. White, 271

G

giant basal cell carcinoma
Shoulder girdle resection for — — — —. C. J. O'Brien, K. M. Harvey, J. P. Harris & J. May, 566
Gillies needleholder
A modification of the — —. M. F. Freshwater, 633
gracilis
A — myocutaneous flap for reconstruction of the scrotum. R. R. Ramos, J. M. Andrews & L. M. Ferreira, 171
Repair of a prostato-membranous urethral stricture with a — myocutaneous flap. T. Nakajima, Y. Naide & T. Kami, 539
groin defect
The use of a rectus abdominis myocutaneous flap to reconstruct a groin defect. S. E. Logan & S. J. Mathes, 351
groin flap
Composite osteo-cutaneous — — for the reconstruction of wrist and forearm defects. S. Acartürk & E. Özmen, 388
haemangioma
A successful case of urethral reconstruction in a child with persistent urethral bleeding due to an extensive cavernous —. K. Maeda, 536
haemangioma
The management of the soft-tissue haemangiomatous manifestations of Maffucci's syndrome. G. F. Y. Ma & P. C. Leung, 615
haemorrhage
Arteriography and selective embolisation in the control of life-threatening — following facial fractures. O. N. Mehrotra, G. E. D. Brown, W. P. Widdowson & J. P. Wilson, 482
hand
The radial forearm flap in the management of soft tissue injuries of the —. D. S. Soutar & N. S. Tanner, 18

hand surgery
A compound radial artery forearm flap in — —: an original modification of the Chinese forearm flap. G. Foucher, F. van Genechten, N. Merle & J. Michon, 139
head
Aggressive fibromatosis (extra-abdominal desmoids) of the — and neck. S. J. Siemssen & T. Anagnostaki, 453
Successful prophylaxis with tinidazole of infection after major — and neck surgery for malignant disease. G. Sweeney, J. D. Watson, I. A. McGregor & J. D. Sleigh, 35
heel
A neurovascular island flap from the first web space of the foot to repair a defect over the —: case report. G. Gulyás, F. Máté & I. Kartik, 398
hexcelite
Some uses of — as a splintage material in plastic and burns surgery. A. R. Green, N. R. McLean & E. A. Warren, 241
hypospadias
Anterior urethral advancement: a one-stage technique for — repair. Ti-Sheng Chang, 530
Splitting the prepuce to provide two independently vascularised flaps: a one-stage repair of — and congenital short urethra. D. L. Harris, 108
ilio-lumbar flap
Reconstruction of a large lateral abdominal wall defect with an — — bi-pedicled —. H. Ohtsuka, K. Ochi & H. Seike, 327

I

incontinentia pigmenti achromians
Congenital cranio-facial dysmorphosis associated with Ito's syndrome (— — —): a case report. M. Stricker, M. Meley, J. F. Chassagne & J. Beurey, 472
intra-oral
— — split-skin grafting: an unreported complication — submandibular gland obstruction. A. D. McGregor, 294
intra-uterine healing
The — — — of foetal muscle wounds: experimental study in the rat. A. R. Rowsell, 635
intravenous infusion
Spontaneous healing and relief of pain in a patient with intractable vasculitic ulceration of the lower limb following an — — of prostacyclin: a case report. S. Kay & J. D. Nancarrow, 175
ischial defect
The lateral thigh fascio-cutaneous flap in the repair of — and trochanteric —. Y. Maruyama, K. Ohnishi & S. Takeuchi, 103
island flap(s)
A neurovascular — — from the first web space of the foot to repair a defect over the heel: case report. G. Gulyás, F. Máté & I. Kartik, 398
Lateral calcaneal artery — —. J. Holmes & C. R. W. Rayner, 402
Local transposition of a distally-based — forearm — to close a complicated excisional wrist defect in a nonagenarian: some anatomical and clinical considerations. A. M. Godfrey, M. D. Poole, A. R. Rowsell & R. J. Rohrich, 493
The true pectoralis major myocutaneous — —: an anatomical study. W. I. Wei, K. H. Lam & J. Wong, 568
Ito's syndrome
Congenital cranio-facial dysmorphosis associated with — — (incontinentia pigmenti achromians): a case report. M. Stricker, M. Meley, J. F. Chassagne & J. Beurey, 472

J

Joseph
—: the father of cosmetic surgery. The First Joseph Lecture. April 1983. A. F. Wallace, 412

K

Klipper-Weber syndrome
A successful case of urethral reconstruction in a child with persistent urethral bleeding due to an extensive cavernous haemangioma. K. Maeda, 536

L

lateral abdominal wall defect
Reconstruction of a large — — — — with an ilio-lumbar bi-pedicled flap. H. Ohtsuka, K. Ochi & H. Seike, 327
lateral calcaneal artery
— — — island flaps. J. Holmes & C. R. W. Rayner, 402
lateral thigh
The — — fascio-cutaneous flap in the repair of ischial and trochanteric defects. Y. Maruyama, K. Ohnishi & S. Takeuchi, 103
latissimus dorsi flap
Soft tissue reconstruction of the breast using an extended composite — — myocutaneous —. D. R. Marshall, E. J. Anstee & M. J. Stapleton, 361
lecture
Joseph: the father of cosmetic surgery, The First Joseph —, April 1983, A. F. Wallace, 412
leeches
The salvage of congested skin flaps by the application of —. A. G. G. Batchelor, P. Davison & L. Sully, 358
leg
The long-term results of the use of human amnion in the treatment of — ulcers. D. J. Ward & J. P. Bennett, 191
The use of the fascia of the lower — as a roll-over flap: its possible clinical applications in reconstructive surgery. R. L. Thatte & N. Laud, 88
lip
— function: a study of normal lip parameters. M. L. Fogel & M. F. Stranc, 542
— function: a study of oral continence. M. F. Stranc & M. L. Fogel, 550
Radical muscle mobilisation in the surgical repair of a unilateral cleft —: a follow up report. R. L. Thatte & S. Prasad, 296
Reconstruction of the lower — with a fan-shaped flap based on the facial artery. T. Nakajima, Y. Yoshimura & T. Kami, 52
lip advancement
Peri-alar skin excision and — — in the closure of lip defects. M. J. Earley, 50
lip defects
Peri-alar skin excision and lip advancement in the closure of — —. M. J. Earley, 50

lower limb
Spontaneous healing and relief of pain in a patient with intractable vasculitic ulceration of the — — following an intravenous infusion of prostacyclin: a case report. S. Kay & J. D. Nancarrow, 175
The surgical management of intractable venous ulceration in the — —: excision, decompression of the limb and split-skin grafting. J. M. Porter, R. W. Griffiths & D. C. McNeill, 179
lower limb salvage
— — — using an extended free radial forearm flap. N. Waterhouse, A. L. H. Moss & P. L. G. Townsend, 394
lower lip
Reconstruction of the — — with a fan-shaped flap based on the facial artery. T. Nakajima, Y. Yoshimura & T. Kami, 52
lymphomas
Cutaneous — of the face and scalp. N. F. Jones, D. Elliot & S. G. Subbuswamy, 69

M

Maffucci's syndrome
The management of the soft-tissue haemangiomatous manifestations of — —. G. F. Y. Ma & P. C. Leung, 615
malignant melanoma
A study of the thickness of uninvolved dermis beneath cutaneous — —: the ratio of uninvolved dermis to tumour thickness (DT:TT) as a prognostic index. P. J. Saxby, R. W. Griffiths, C. M. Corbishley & J. C. Briggs, 496
Long-term follow-up in cutaneous — —: the relationship of maximal tumour thickness to disease free survival, disease recurrence and death. R. W. Griffiths & J. C. Briggs, 507
— — in Maoris and Polynesians in New Zealand. A. L. H. Moss, 73.
Metastatic — — in muscle. A. L. H. Moss & M. J. W. Rees, 250
Secondary — — arising in a contralateral thigh donor site. N. R. McLean & J. G. Boorman, 386
The role of trauma in the aetiology of — —: a review article. J. C. Briggs, 514
Marjolin's ulcer
Penetrating — — of scalp involving bone and dura mater treated by wide excision and direct application of a split-skin graft on the brain: a 10-year follow-up. G. F. Maillard & A. Landolt, 463
mastectomy
The results of breast reconstruction following —. G. G. Cooper, M. H. C. Webster & G. Bell, 369
meatoplasty
— for gross urethral stenosis: a technique of repair and a review of 32 cases. S. Parkash & V. Gajendran, 117
meningoencephaloceles
Fronto-ethmoidal —: morphology and treatment. D. J. David, L. Sheffield, D. Simpson & J. White, 271
mesh-grafting
The morbidity of split-skin graft donor sites in the elderly: the case for — — the donor site. M. F. Fatah & C. M. Ward, 184
metastasis in muscle
Metastatic malignant melanoma in muscle. A. L. H. Moss & M. J. W. Rees, 250
microsurgical instrument
A combination of scissors and micro-forceps: a new — —. R. van Twisk, 631
microsurgical sucker
An improvised — —. A. G. G. Batchelor, 406
microvascular grafts
Doppler ultrasound in the evaluation of experimental — —. C. J. O'Brien, J. P. Harris & J. May, 596
midface
Oral mucosal flaps in midfacial reconstruction. C. R. W. Rayner, 43
mixed appendageal tumour
— — —: case report. D. A. R. Burd, 383
morphanalysis machine
Evaluation of the — — in a clinical setting. M. F. Green, J. R. Gibson, E. R. E. Thomson, C. W. Hancock & Z. Panting, 319
mouth
Intra-oral split-skin grafting: an unreported complication — submandibular gland obstruction. A. D. McGregor, 294
multiple territory
A — — free tissue transfer for reconstruction of a large scalp defect. A. G. G. Batchelor & L. Sully, 76
muscle grafts
Rectus femoris — — performed with and without vascular anastomosis: an experimental study in the rabbit. P. J. Guelinckx, R. Dom, M. Bex, W. D. Boeckx & J. A. Gruwez, 584
muscle mobilisation
Radical — — in the surgical repair of a unilateral cleft lip: a follow up report. R. L. Thatte & S. Prasad, 296
myocutaneous flap
A gracilis — — for reconstruction of the scrotum. R. R. Ramos, J. M. Andrews & L. M. Ferreira, 171
One-stage ante-thoracic reconstruction of the thoracic oesophagus using — —. Y. Miyamoto, T. Hattori & Y. Nosoh, 577
Potential problems with the transverse rectus abdominis — — in breast reconstruction and how to avoid them. G. S. Georgiade, V. E. Voci, R. Riefkohl & M. Scheflan, 121
Repair of a prostato-membranous urethral stricture with a gracilis — —. T. Nakajima, Y. Naide & T. Kami, 539
Soft tissue reconstruction of the breast using an extended composite latissimus dorsi — —. D. R. Marshall, E. J. Anstee & M. J. Stapleton, 361
The true pectoralis major — island —: an anatomical study. W. I. Wei, K. H. Lam & J. Wong, 568
The use of a rectus abdominis — — to reconstruct a groin defect. S. E. Logan & S. J. Mathes, 351

N

nasal retrieval forceps
— — —: a modified Kocher forceps. J. D. Nancarrow & S. P. Kay, 411
neck
Aggressive fibromatosis (extra-abdominal desmoids) of the head and —. S. J. Siemssen & T. Anagnostaki, 453

Successful prophylaxis with tinidazole of infection after major head and — surgery for malignant disease. G. Sweeney, J. D. Watson, I. A. McGregor & J. D. Sleigh, 35
nerve grafts
Vascularised — — using composite aterialised neurovenous systems. P. L. G. Townsend & G. I. Taylor, 1
neurovascular island flap
A — — — from the first web space of the foot to repair a defect over the heel: case report. G. Gulyás, F. Máté & I. Kartik, 398
neurovenous systems
Vascularised nerve grafts using composite arterialised — —. P. L. G. Townsend & G. I. Taylor, 1
nipples
The application of de-epithelialised "turn-over" flaps to the treatment of inverted —. B. Haesker, 253
nonagenarian
Local transposition of a distally-based island forearm flap to close a complicated excisional wrist defect in a —: some anatomical and clinical considerations. A. M. Godfrey, M. D. Poole, A. R. Rowsell & R. J. Rohrich, 493
nose
Nasal chondroma: a case report. N. Kurozumi & H. Kamiishi, 247
Psychological aspects of cosmetic rhinoplasty. P. Marcus, 313
The alar swing technique in the correction of the saddle — deformity. M. J. Earley & J. Lendrum, 307
The importance of symmetry in forehead flap rhinoplasty. N. B. Hart & J. H. Goldin, 477
Use of large composite grafts in the reconstruction of deformities of the — and ear. J. M. Avelar, J. M. Psillakis & F. Viterbo, 55

O

oesophagus
One-stage ante-thoracic reconstruction of the thoracic — using myocutaneous flaps. Y. Miyamoto, T. Hattori & Y. Nosoh, 577
one-stage repair
Anterior urethral advancement: a — — technique for hypospadias —. Ti-Sheng Chang, 530
One-stage ante-thoracic reconstruction of the thoracic oesophagus using myocutaneous flaps. Y. Miyamoto, T. Hattori & Y. Nosoh, 577
Splitting the prepuce to provide two independently vascularised flaps: a — — — of hypospadias and congenital short urethra. D. L. Harris, 108
oral continence
Lip function: a study of — —. M. F. Stranc & M. L. Fogel, 550
oral mucosal flaps
— — — in midfacial reconstruction. C. R. W. Rayner, 43
oro-conjunctival fistulae
Some observations on iatrogenic — —. J. Lendrum, 48
oropharyngeal carcinoma
Successful prophylaxis with tinidazole of infection after major head and neck surgery for malignant disease. G. Sweeney, J. D. Watson, I. A. McGregor & J. D. Sleigh,, 35
Orticochea dynamic pharyngoplasty
The — — — . J. Lendrum & B. K. Dhar, 160
osteo-cutaneous flap
Composite — — groin — for the reconstruction of wrist and forearm defects. S. Acartürk & E. Özmen, 388

P

pain
Spontaneous healing and relief of — in a patient with intractable vasculitic ulceration of the lower limb following an intravenous infusion of prostacyclin: a case report. S. Kay & J. D. Nancarrow, 175
palate
Middle ear function in cleft —. A. Gopalakrishna, K. S. Goleria & A. Raje, 558
Tongue flap repair of cleft — fistulae. R. W. Pigott, F. W. Rieger & A. Frazer Moodie, 285
partial thickness
— — scalp grafts: clinical experience of their use in resurfacing facial defects. T. Finucan, J. Budo & J. A. Clarke, 468
pectoralis major
The true — — myocutaneous island flap: an anatomical study, W. I. Wei, K. H. Lam & J. Wong, 568
penis
Surgical reconstruction of the sequelae of penile and scrotal gangrene: a plea for simplicity. S. Parkash & V. Gajendran, 354
per-alar skin excision
— — — and lip advancement in the closure of lip defects. M.J. Earley, 50
periosteum
Free revascularised — transplantation: an experimental study. F. A. J. M. van den Wildenberg, R. J. A. Goris & M. B. J. E. Tutein Nolthenius-Puylaert, 226
pharyngoplasty
The Orticochea dynamic —. J. Lendrum & B. K. Dhar, 160
prepuce
Splitting the — to provide two independently vascularised flaps: a one-stage repair of hypospadias and congenital short urethra. D. L. Harris, 108
pressure button
The — —: a refinement of the traditional "tie-over" dressing. D. A. R. Burd, 126
prognostic index
A study of the thickness of uninvolved dermis beneath cutaneous malignant melanoma: the ratio of uninvolved dermis to tumour thickness (DT:TT) as a — —. P. J. Saxby, R. W. Griffiths, C. M. Corbishley & J. C. Riggs, 496
prostacyclin
Spontaneous healing and relief of pain in a patient with intractable vasculitic ulceration of the lower limb following an intravenous infusion of —: a case report. S. Kay & J. D. Nancarrow, 175
prostanoid derivatives
— — in experimental flap delay with formic acid. W. T. Lawrence, R. C. Murphy, M. C. Robson & J. P. Heggers, 602
psychological aspects
— — of cosmetic rhinoplasty. P. Marcus, 313

pudendal artery
The superficial external — — (SEPA) axial pattern flap. A. D. Dias, 256

R

rabbit
Rectus femoris muscle grafts performed with and without vascular anastomosis: an experimental study in the —. P. J. Guelinckx, R. Dom, M. Bex, W. D. Boeckx & J. A. Gruwez, 584
radial artery
A compound — — forearm flap in hand surgery: an original modification of the Chinese forearm flap. G. Foucher, F. van Genechten, N. Merle & J. Michon, 139
radial forearm flap
Lower limb salvage using an extended free — — —. N. Waterhouse, A. L. H. Moss & P. L. G. Townsend, 394
The — — — in the management of soft tissue injuries of the hand. D. S. Soutar & N. S. Tanner, 18
radiation-induced lesions
Surgical treatment of — — scalp —. L. DiMeo & B. M. Jones, 373
rat
The intra-uterine healing of foetal muscle wounds: experimental study in the —. A. R. Rowsell, 635
reconstruction
A gracilis myocutaneous flap for — of the scrotum. R. R. Ramos, J. M. Andrews & L. M. Ferreira, 171
A multiple territory free tissue transfer for — of a large scalp defect. A. G. G. Batchelor & L. Sully, 76
A successful case of urethral — in a child with persistent urethral bleeding due to an extensive cavernous haemangioma. K. Maeda, 536
Composite osteo-cutaneous groin flap for the — of wrist and forearm defects. S. Acartürk & E. Özmen, 388
One-stage ante-thoracic — of the thoracic oesophagus using myocutaneous flaps. Y. Miyamoto, T. Hattori & Y. Nosoh, 577
Oral mucosal flaps in midfacial reconstruction. C. R. W. Rayner, 43
Potential problems with the transverse rectus abdominis myocutaneous flap in breast — and how to avoid them. G. S. Georgiade, V. E. Voci, R. Riefkohl & M. Scheflan, 121
— of a large lateral abdominal wall defect with an ilio-lumbar bi-pedicled flap. H. Ohtsuka, K. Ochi & H. Seike, 327
— of the lower lip with a fan-shaped flap based on the facial artery. T. Nakajima, Y. Yoshimura & T. Kami, 52
Repair of a prostato-membranous urethral stricture with a gracilis myocutaneous flap. T. Nakajima, Y. Naide & T. Kami, 539
Skin expansion as an adjunct to — of the external ear. R. M. Oneal, R. J. Rohrich & P. H. Izenberg, 517
Soft tissue — of the breast using an extended composite latissimus dorsi myocutaneous flap. D. R. Marshall, E. J. Anstee & M. J. Stapleton, 361
Surgical — of the sequelae of penile and scrotal gangrene: a plea for simplicity. S. Parkash & V. Gajendran, 354
The results of breast — following mastectomy. G. G. Cooper, M. H. C. Webster & G. Bell, 369
The use of a rectus abdominis myocutaneous flap to reconstruct a groin defect. S. E. Logan & S. J. Mathes, 351
The use of the fascia of the lower leg as a roll-over flap: its possible clinical applications in reconstructive surgery. R. L. Thatte & N. Laud, 88
Use of large composite grafts in the — of deformities of the nose and ear. J. M. Avelar, J. M. Psillakis & F. Viterbo, 55
reconstructive surgery
Controlled tissue expansion in — —. L. C. Argenta, 520
rectus abdominis
Potential problems with the transverse — — myocutaneous flap in breast reconstruction and how to avoid them. G. S. Georgiade, V. E. Voci, R. Riefkohl & M. Scheflan, 121
rectus abdominis flap
The use of a — — myocutaneous — to reconstruct a groin defect. S. E. Logan & S. J. Mathes, 351
The versatile deep inferior epigastric (inferior — —) —. G. I. Taylor, R. J. Corlett & J. B. Boyd, 330
rectus femoris
— — muscle grafts performed with and without vascular anastomosis: an experimental study in the rabbit. P. J. Guelinckx, R. Dom, M. Bex, W. D. Boeckx & J. A. Gruwez, 584
repair
Radical muscle mobilisation in the surgical — of a unilateral cleft lip: a follow up report. R. L. Thatte & S. Prasad, 296
The — of urethral fistulae: a simple technique. G. Campbell & W. De Villiers, 169
Tongue flap — of cleft palate fistulae. R. W. Pigott, F. W. Rieger & A. Frazer Moodie, 285
rhinoplasty
Psychological aspects of cosmetic —. P. Marcus, 313
The importance of symmetry in forehead flap —. N. B. Hart & J. H. Goldin, 477

S

saddle nose deformity
The alar swing technique in the correction of the — — —. M. J. Earley & J. Lendrum, 307
salvage
Lower limb — using an extended free radial forearm flap. N. Waterhouse, A. L. H. Moss & P. L. G. Townsend, 394
The — of congested skin flaps by the application of leeches. A. G. G. Batchelor, P. Davison & L. Sully, 358
scalp
A multiple territory free tissue transfer for reconstruction of a large — defect. A. G. G. Batchelor & L. Sully, 76
Cutaneous lymphomas of the face and —. N. F. Jones, D. Elliot & S. G. Subbuswamy, 69
Mixed appendageal tumour: case report. D. A. R. Burd, 383
Penetrating Marjolin's ulcer of — involving bone and dura mater treated by wide excision and direct application of a split-skin graft on the brain: a 10-year follow-up. G. F. Maillard & A. Landolt, 463
Surgical treatment of radiation-induced — lesions. L. DiMeo & B. M. Jones, 373

scalp grafts
Partial thickness — —: clinical experience of their use in resurfacing facial defects. T. Finucan, J. Budo & J. A. Clarke, 468
scissors/micro-forceps
A combination of scissors and micro-forceps: a new microsurgical instrument. R. van Twisk, 631
scrotum
A gracilis myocutaneous flap for reconstruction of the —. R. R. Ramos, J. M. Andrews & L. M. Ferreira, 171
Surgical reconstruction of the sequelae of penile and scrotal gangrene: a plea for simplicity. S. Parkash & V. Gajendran, 354
septocutaneous artery
The free thigh flap: a new free flap concept based on the — —. Y. G. Song, G. Z. Chen & Y. L. Song, 149
shoulder girdle resection
— — — for giant basal cell carcinoma. C. J. O'Brien, K. M. Harvey, J. P. Harris & J. May, 566
skin expansion
— — as an adjunct to reconstruction of the external ear. R. M. Oneal, R. J. Rohrich & P. H. Izenberg, 517
skin graft
A fortuitous donor site for full-thickness — — in the correction of syndactyly. A. R. Rowsell & A. M. Godfrey, 31
Immediate excision and — — of a friction burn in a replanted thumb with a note on its usefulness and indications. D. J. M. Emerson & R. E. Page, 624
The possible applications of a composite — and subcutaneous vein — in the replantation of amputated digits. T. Honda, S. Nomura, S. Yamauchi, K. Shimamura & M. Yoshimura, 607
skin grafting
Intra-oral split — —: an unreported complication — submandibular gland obstruction. A. D. McGregor, 294
The surgical management of intractable venous ulceration in the lower limbs: excision, decompression of the limb and split — —. J. M. Porter, R. W. Griffiths & D. C. McNeill, 179
skin micro-circulation
Acute effects of tobacco smoking on blood flow in the cutaneous micro-circulation. W. F. Reus, M. C. Robson, L. Zachary & J. P. Heggers, 213
skull
Penetrating Marjolin's ulcer of scalp involving bone and dura mater treated by wide excision and direct application of a split-skin graft on the brain: a 10-year follow-up. G. F. Maillard & A. Landolt, 463
smoking
Acute effects of tobacco — on blood flow in the cutaneous micro-circulation. W. F. Reus, M. C. Robson, L. Zachary & J. P. Heggers, 213
The damaging effect of — on digital revascularisation: two further case reports. G. R. Wilson & B. M. Jones, 613
The detrimental effect of cigarette — on flap survival: an experimental study in the rat. W. T. Lawrence, R. C. Murphy, M. C. Robson & J. P. Heggers, 216
soft tissue injuries
The radial forearm flap in the management of — — — of the hand. D. S. Soutar & N. S. Tanner, 18
splintage material
Some uses of hexcelite as a — — in plastic and burns surgery. A. R. Green, N. R. McLean & E. A. Warren, 241
split-skin graft
Penetrating Marjolin's ulcer of scalp involving bone and dura mater treated by wide excision and direct application of a — — — on the brain: a 10-year follow-up. G. F. Maillard & A. Landolt, 463
split-skin graft repair
A successful case of urethral reconstruction in a child with persistent urethral bleeding due to an extensive cavernous haemangioma. K. Maeda, 536
split skin grafting
Intra-oral — — —: an unreported complication — submandibular gland obstruction. A. D. McGregor, 294
The surgical management of intractable venous ulceration in the lower limbs: excision, decompression of the limb and — — —. J. M. Porter, R. W. Griffiths & D. C. McNeill, 179
split prepuce
— — to provide two independently vascularised flaps: a one-stage repair of hypospadias and congenital short urethra. D. L. Harris, 108
spontaneous anastomosis
— — of vessels approximately 100 μ in diameter: an experimental study. J. Smahel & B. Jentsch, 236
subcutaneous tissue flaps
The use of — — — in the repair of soft tissue defects of the forearm and hand: an experimental and clinical study of a new technique. F. M. Marty, D. Montandon, R. Gumener & Z. Zbrodowski, 95
subcutaneous vein graft
The possible applications of a composite skin and — — — in the replantation of digits. T. Honda, S. Nomura, S. Yamauchi, K. Shimamura & M. Yoshimura, 607
submandibular gland
Intra-oral split-skin grafting: an unreported complication — — — obstruction. A. D. McGregor, 294
subscapular-thoracodorsal arterial system
The anatomy of the — — — —: study of 100 cadaver dissections. A. R. Rowsell, D. M. Davies, N. Eisenberg & G. I. Taylor, 574
sucker
An improvised microsurgical —. A. G. G. Batchelor, 406
superficial external pudendal artery
The — — — — (SEPA) axial pattern flap. A. D. Dias, 256
symmetry
The importance of — in forehead flap rhinoplasty. N. B. Hart & J. H. Goldin, 477
syndactyly
A fortuitous donor site for full-thickness skin grafts in the correction of —. A. R. Rowsell & A. M. Godfrey, 31

T

temporo-mandibular joint
A truly endaural approach to the — —. A. D. Dias, 65
thigh
Secondary malignant melanoma arising in a contralateral — donor site. N. R. McLean & J. G. Boorman, 386
The free — flap: a new free flap concept based on the septocutaneous artery. Y. G. Song, G. Z. Chen & Y. L. Song, 149
The lateral — fascio-cutaneous flap in the repair of ischial and trochanteric defects. Y. Maruyama, K. Ohnishi & S. Takeuchi, 103

thoracic oesophagus
One-stage ante-thoracic reconstruction of the — — using myocutaneous flaps. Y. Miyamoto, T. Hattori & Y. Nosoh, 577
thumb replant
Immediate excision and skin graft of a friction burn in a replanted thumb with a note on its usefulness and indications. D. J. M. Emerson & R. E. Page, 624
tie-over dressing
The pressure button: a refinement of the traditional — —. D. A. R. Burd, 121
Tikhor-Linberg procedure
Shoulder girdle resection for giant basal cell carcinoma. C. J. O'Brien, K. M. Harvey, J. P. Harris & J. May, 566
tinidazole
Successful prophylaxis with — of infection after major head and neck surgery for malignant disease. G. Sweeney, J. D. Watson, I. A. McGregor & J. D. Sleigh, 35
tissue expansion
Controlled — — in reconstructive surgery. L. C. Argenta, 520
tobacco smoking
Acute effects of — — on blood flow in the cutaneous micro-circulation. W. F. Reus, M. C. Robson, L. Zachary & J. P. Heggers, 213
tongue flap
— — repair of cleft palate fistulae. R. W. Pigott, F. W. Rieger & A. Frazer Moodie, 285
transplantation
Free revascularised periosteum —: an experimental study. F. A. J. M. van den Wildenberg, R. J. A. Goris & M. B. J. E. Tutein Nolthenius-Puylaert, 226
trauma
The role of — in the aetiology of malignant melanoma: a review article. J. C. Briggs, 514
trochanteric defect
The lateral thigh fascio-cutaneous flap in the repair of ischial and — —. Y. Maruyama, K. Ohnishi & S. Takeuchi, 103
tropical surgery
Q.E.D. flaps (? *demonstrandum*, *disputandum* or *deprecandum*): three useful axial pattern flaps in — African —. A. P. Landra, 580
trunk
Mixed appendageal tumour: case report. D. A. R. Burd, 383
tumour thickness
A study of the thickness of uninvolved dermis beneath cutaneous malignant melanoma: the ratio of uninvolved dermis to — — (DT:TT) as a prognostic index. P. J. Saxby, R. W. Griffiths, C. M. Corbishley & J. C. Briggs, 496
Long term follow-up in cutaneous malignant melanoma: the relationship of maximal — — to disease free survival, disease recurrence and death. R. W. Griffiths & J. C. Briggs, 507
turn-over flaps
The application of de-epithelialised — — — to the treatment of inverted nipples. B. Haeseker, 253
twisting bandages
On — —: an experimental study. P. D. Malimson, 626

U

ulcer(s)
Penetrating Marjolin's — of scalp involving bone and dura mater treated by wide excision and direct application of a split-skin graft on the brain: a 10-year follow-up. G. F. Maillard & A. Landolt, 463
The long-term results of the use of human amnion in the treatment of leg —. D. J. Ward & J. P. Bennett, 191
ulceration
Spontaneous healing and relief of pain in a patient with intractable vasculitic — of the lower limb following an intravenous infusion of prostacyclin: a case report. S. Kay & J. D. Nancarrow, 175
The surgical management of intractable venous — in the lower limbs: excision, decompression of the limb and split-skin grafting. J. M. Porter, R. W. Griffiths & D. C. McNeill, 179
ulnar artery
The — — forearm free flap. M. J. Lovie, G. M. Duncan & D. W. Glasson, 486
urethra
Splitting the prepuce to provide two independently vascularised flaps: a one-stage repair of hypospadias and congenital short —. D. L. Harris, 108
urethral advancement
Anterior — —: a one-stage technique for hypospadias repair. Ti-Sheng Chang, 530
urethral fistulae
The repair of — —: a simple technique. G. Campbell & W. DeVilliers, 169
urethral reconstruction
A successful case of — — in a child with persistent urethral bleeding due to an extensive cavernous haemangioma. K. Maeda, 536
Repair of a prostato-membranous urethral stricture with a gracilis myocutaneous flap. T. Nakajima, Y. Naide & T. Kami, 539
urethral stenosis
Meatoplasty for gross — —: a technique of repair and a review of 32 cases. S. Parkash & V. Gajendran, 117
urethral stricture
Repair of a prostato-membranous — — with a gracilis myocutaneous flap. T. Nakajima, Y. Naide & T. Kami, 539

V

vascular territory
The — — of the acromiothoracic axis. C. D. Reid & G. I. Taylor, 194
vascularisation
A classification of fascio-cutaneous flaps according to their patterns of —. G. C. Cormack & B. G. H. Lamberty, 80
vascularised
— nerve grafts using composite arterialised neuro-venous systems. P. L. G. Townsend & G. I. Taylor, 1
vasculitic ulceration
Spontaneous healing and relief of pain in a patient with intractable — — of the lower limb following an intravenous infusion of prostacyclin: a case report. S. Kay & J. D. Nancarrow, 175
venous ulceration
The surgical management of intractable — — in the lower limbs: excision decompression of the limb and split-skin grafting. J. M. Porter, R. W. Griffiths & D. C. McNeill, 179

W

web space
A neurovascular island flap from the first — — of the foot to repair a defect over the heel: case report. G. Gulyás, F. Máté & I. Kartik, 398
wen
When is a "wen" a "wen"?: a diagnostic dilemma. D. Foroughi & P. Britton, 379
wrist
Composite osteo-cutaneous groin flap for the reconstruction of — and forearm defects. S. Acartürk & E. Özmen, 388
Local transposition of a distally-based island forearm flap to close a complicated excisional — defect in a nonagenarian: some anatomical and clinical considerations. A. M. Godfrey, M. D. Poole, A. R. Rowsell & R. J. Rohrich, 493

Z

Z-plasty
Fasciotomy and — in the management of Dupuytren's contracture. J. D. Watson, 27

Author Index

A

Acartürk, S. & Özmen, E. Composite osteo-cutaneous groin flap for the reconstruction of wrist and forearm defects, 388
Anagnostaki, T., jt. author. *See* Siemssen, S. J.
Andrews, J. M., jt. author. *See* Ramos, R. R.
Anstee, E. J., jt. author. *See* Marshall, D. R.
Argenta, L. C. Controlled tissue expansion in reconstructive surgery, 520
Avelar, J. M., Psillakis, J. M. & Viterbo, F. Use of large composite grafts in the reconstruction of deformities of the nose and ear, 55

B

Bardsley, A. F., jt. author. *See* Earley, M. J.
Batchelor, A. G. G., An improvised microsurgical sucker, 406
Batchelor, A. G. G., Davison, P. & Sully, L. The salvage of congested skin flaps by the application of leeches, 358
Batchelor, A. G. G. & Sully, L. A multiple territory free tissue transfer for reconstruction of a large scalp defect, 76
Bell, G., jt. author. *See* Cooper, G. G.
Bennett, J. P., jt. author. *See* Ward, D. J.
Beurey, J., jt. author. *See* Stricker, M.
Bex, M., jt. author. *See* Guelinckx, P. J.
Boeckx, W. D., jt. author. *See* Guelinckx, P. J.
Boorman, J. G., jt. author. *See* McLean, N. R.
Boyd, J. B., jt. author. *See* Taylor, G. I.
Breach, N. M., jt. author. *See* Ward, D. J.
Briggs, J. C. The role of trauma in the aetiology of malignant melanoma: a review article, 514
Briggs, J. C., Ibrahim, N. B. N., Hastings, A. G. & Griffiths, R. W. Experience of thin cutaneous melanomas (<0.76 mm and <0.85 mm thick) in a large plastic surgery unit: a 5 to 17 year follow up, 501
Briggs, J. C., jt. author. *See* Griffiths, R. W.
Briggs, J. C., jt. author. *See* Saxby, P. J.
Britton, P., jt. author. *See* Foroughi, D.
Brown, G. E. D., jt. author. *See* Mehrotra, O. N.
Budo, J., jt. author. *See* Finucan, T.
Burd, D. A. R. Mixed appendageal tumour: case report, 383
Burd, D. A. R. The pressure button: a refinement of the traditional "tie-over" dressing, 126

C

Campbell, G. & De Villiers, W. The repair of urethral fistulae: a simple technique, 169
Campbell Reid, D. A. & Price, A. H. K. Digital deformities and dental malocclusion due to finger sucking, 445
Chassagne, J. F., jt. author. *See* Stricker, M.
Chen, G. Z., jt. author. *See* Song, Y. G.
Clarke, J. A., jt. author. *See* Finucan, T.
Cooper, G. G., Webster, M. H. C. & Bell, G. The results of breast reconstruction following mastectomy, 369
Corboshley, C. M., jt. author. *See* Saxby, P. J.
Corlett, R. J., jt. author. *See* Taylor, G. I.
Cormack, G. C. & Lamberty, B. G. H. A classification of fascio-cutaneous flaps according to their patterns of vascularisation, 80

D

David, D. J., Sheffield, L., Simpson, D. & White, J. Fronto-ethmoidal meningoencephaloceles: morphology and treatment, 271
Davies, D. M., jt. author. *See* Rowsell, A. R.
Davison, P., jt. author. *See* Batchelor, A. G. G.
De Villiers, W., jt. author. *See* Campbell, G.
Dhar, B. K., jt. author. *See* Lendrum, J.
Dias, A. D. A truly endaural approach to the temporo-mandibular joint, 65
Dias, A. D. The superficial external pudendal artery (SEPA) axial pattern flap, 256
DiMeo, L. & Jones, B. M. Surgical treatment of radiation-induced scalp lesions, 373
Dom, R., jt. author. *See* Guelinckx, P. J.
Duncan, G. M., jt. author. *See* Lovie, M. J.

E

Earley, M. J. Peri-alar skin excision and lip advancement in the closure of lip defects, 50
Earley, M. J. & Bardsley, A. F. Human bites: a review, 458
Earley, M. J. & Lendrum, J. The alar swing technique in the correction of the saddle nose deformity, 307
Eisenberg, N., jt. author. *See* Rowsell, A. R.
Elliot, D., jt. author. *See* Jones, N. F.
Emerson, D. J. M. & Page, R. E. Immediate excision and skin graft of a friction burn in a replanted thumb with a note on its usefulness and indications, 624

F

Fatah, M. F. & Ward, C. M. The morbidity of split-skin graft donor sites in the elderly: the case for mesh-grafting the donor site, 184
Fawkes, J., Hughes, M. & Green, M. F. The Chepstow feeding aid, 407
Ferreira, L. M., jt. author. *See* Ramos, R. R.
Finucan, T., Budo, J. & Clarke, J. A. Partial thickness scalp grafts: clinical experience of their use in resurfacing facial defects, 468
Fogel, M. L. & Stranc, M. F. Lip function: a study of normal lip parameters, 542
Fogel, M. L., jt. author. *See* Stranc, M. F.
Foroughi, D. & Britton, P. When is a "wen" a "wen"?: A diagnostic dilemma, 379
Foucher, G., Genechten, F. van, Merle, N. & Michon, J. A compound radial artery forearm flap in hand surgery: an original modification of the Chinese forearm flap, 139
Freshwater, M. F. A modification of the Gillies needleholder, 633

G

Gajendran, V., jt. author. *See* Parkash, S.
Genechten, F. van., jt. author. *See* Foucher, G.
Georgiade, G. S., Voci, V. E., Riefkohl, R. & Scheflan, M. Potential problems with the transverse rectus abdominis myocutaneous flap in breast reconstruction and how to avoid them, 121

Gibson, J. R., jt. author. *See* Green, M. F.
Glasson, D. W., jt. author. *See* Lovie, M. J.
Godfrey, A. M., Poole, M. D., Rowsell, A. R. & Rohrich, R. J. Local transposition of a distally-based island forearm flap to close a complicated excisional wrist defect in a nonagenarian: some anatomical and clinical considerations, 493
Godfrey, A. M., jt. author. *See* Rowsell, A. R.
Goldin, J. H., jt. author. *See* Hart, N. B.
Goleria, K. S., jt. author. *See* Gopalakrishna, A.
Gopalakrishna, A., Goleria, K. S. & Raje, A. Middle ear function in cleft palate, 558
Goris, R. J. A., jt. author. *See* Wildenberg, F. A. J. M. van den
Green, A. R., McLean, N. R. & Warren, E. A. Some uses of hexcelite as a splintage material in plastic and burns surgery, 241
Green, M. F., Gibson, J. R., Thomson, E. R. E., Hancock, C. W. & Panting, Z. Evaluation of the morphanalysis machine in a clinical setting, 319
Green, M. F., jt. author. *See* Fawkes, J.
Griffiths, R. W. & Briggs, J. C. Long term follow-up in cutaneous malignant melanoma: the relationship of maximal tumour thickness to disease free survival, disease recurrence and death, 507
Griffiths, R. W., jt. author. *See* Briggs, J. C.
Griffiths, R. W., jt. author. *See* Saxby, P. J.
Griffiths, R. W., jt. author. *See* Porter, J. M.
Gruwez, J. A., jt. author. *See* Guelinckx, P. J.
Guelinckx, P. J., Dom, R., Bex, M., Boeckx, W. D. & Gruwez, J. A. Rectus femoris muscle grafts performed with and without vascular anastomosis: an experimental study in the rabbit, 584
Gulyás, G., Máté, F. & Kartik, I. A neurovascular island flap from the first web space of the foot to repair a defect over the heel: case report, 398
Gumener, R., jt. author. *See* Marty, F. M.

H

Haeseker, B. The application of de-epithelialised "turn-over" flaps to the treatment of inverted nipples, 253
Hall-Smith, S. P., jt. author. *See* Ward, D. J.
Hancock, C. W., jt. author. *See* Green, M. F.
Harris, D. L. Splitting the prepuce to provide two independently vascularised flaps: a one-stage repair of hypospadias and congenital short urethra, 108
Harris, J. P., jt. author. *See* O'Brien, C. J.
Hart, N. B. & Goldin, J. H. The importance of symmetry in forehead flap rhinoplasty, 477
Harvey, K. M., jt. author. *See* O'Brien, C. J.
Hastings, A. G., jt. author. *See* Briggs, J. C.
Hattori, T., jt. author. *See* Miyamoto, Y.
Heggers, J. P., jt. author. *See* Lawrence, W. T.
Heggers, J. P., jt. author. *See* Reus, W. F.
Holmes, J. & Rayner, C. R. W. Lateral calcaneal artery island flaps, 402
Honda, T., Nomura, S., Yamauchi, S., Shimamura, K. & Yoshimura, M. The possible applications of a composite skin and subcutaneous vein graft in the replantation of amputated digits, 607
Hughes, M., jt. author. *See* Fawkes, J.

I

Ibrahim, N. B. N., jt. author. *See* Briggs, J. C.
International Society of Reconstructive Microsurgery. The VIIth symposium: New York City: 19 to 23 June 1983, 220
Izenberg, P. H., jt. author. *See* Oneal, R. M.

J

Jentsch, B., jt. author. *See* Smahel, J.
Jones, B. M., jt. author. *See* DiMeo, L.
Jones, B. M., jt. author. *See* Wilson, G. R.
Jones, N. F., Elliot, D. & Subbuswamy, S. G. Cutaneous lymphomas of the face and scalp, 69

K

Kami, T., jt. author. *See* Nakajima, T.
Kamiishi, H., jt. author. *See* Kurozumi, N.
Kartik, I., jt. author. *See* Gulyás, G.
Kay, S. & Nancarrow, J. D. Spontaneous healing and relief of pain in a patient with intractable vasculitic ulceration of the lower limb following an intravenous infusion of prostacyclin: a case report, 175
Kay, S. P., jt. author. *See* Nancarrow, J. D.
Kurozumi, N. & Kamiishi, H. Nasal chondroma: a case report, 247

L

Lam, K. H., jt. author. *See* Wei, W. I.
Lamberty, B. G. H., jt. author. *See* Cormack, G. C.
Laud, N., jt. author. *See* Thatte, R. L.
Landolt, A., jt. author. *See* Maillard, G. F.
Landra, A. P. Q.E.D. flaps (? *demonstrandum*, *disputandum* or *deprecandum*): three useful axial pattern flaps in tropical African surgery, 580
Lawrence, W. T., Murphy, R. C., Robson, M. C. & Heggers, J. P. Prostanoid derivatives in experimental flap delay with formic acid, 602
Lawrence, W. T., Murphy, R. C., Robson, M. C. & Heggers, J. P. The detrimental effect of cigarette smoking on flap survival: an experimental study in the rat, 216
Lendrum, J. Some observations on iatrogenic oro-conjunctival fistulae, 48
Lendrum, J. & Dhar, B. K. The Orticochea dynamic pharyngoplasty, 160
Lendrum, J., jt. author. *See* Earley, M. J.
Leung, P. C., jt. author. *See* Ma, G. F. Y.
Logan, S. E. & Mathes, S. J. The use of a rectus abdominis myocutaneous flap to reconstruct a groin defect, 351
Lovie, M. J., Duncan, G. M. & Glasson, D. W. The ulnar artery forearm free flap, 486

M

Ma, G. F. Y. & Leung, P. C. The management of the soft-tissue haemangiomatous manifestations of Maffucci's syndrome, 615
McGregor, A. D. Intra-oral split-skin grafting: an unreported complication — submandibular gland obstruction, 294

McGregor, I. A., jt. author. *See* Sweeney, G.
McLean, N. R. & Boorman, J. G. Secondary malignant melanoma arising in a contralateral thigh donor site, 386
McLean, N. R., jt. author. *See* Green, A. R.
McNeill, D. C., jt. author. *See* Porter, J. M.
Maeda, K. A successful case of urethral reconstruction in a child with persistent urethral bleeding due to an extensive cavernous haemangioma, 536
Maillard, G. F. & Landolt, A. Penetrating Marjolin's ulcer of scalp involving bone and dura mater treated by wide excision and direct application of a split-skin graft on the brain: a 10-year follow-up, 463
Malimson, P. D. On twisting bandages: an experimental study, 626
Marcus, P. Psychological aspects of cosmetic rhinoplasty, 313
Marshall, D. R., Anstee, E. J. & Stapleton, M. J. Soft tissue reconstruction of the breast using an extended composite latissimus dorsi myocutaneous flap, 361
Marty, F. M., Montandon, D., Gumener, R. & Zbrodowski, Z. The use of subcutaneous tissue flaps in the repair of soft tissue defects of the forearm and hand: an experimental and clinical study of a new technique, 95
Maruyama, Y., Ohnishi, K. & Takeuchi, S. The lateral thigh fascio-cutaneous flap in the repair of ischial and trochanteric defects, 103
Máté, F., jt. author. *See* Gulyás, G.
Mathes, S. J., jt. author. *See* Logan, S. E.
May, J., jt. author. *See* O'Brien, C. J.
Mehrotra, O. N., Brown, G. E. D., Widdowson, W. P. & Wilson, J. P. Arteriography and selective embolisation in the control of life-threatening haemorrhage following facial fractures, 482
Meley, M., jt. author. *See* Stricker, M.
Marle, N., jt. author. *See* Foucher, G.
Michon, J., jt. author. *See* Foucher, G.
Miyamoto, Y., Hattori, T. & Nosoh, Y. One-stage antethoracic reconstruction of the thoracic oesophagus using myocutaneous flaps, 577
Montandon, D., jt. author. *See* Marty, F. M.
Moodie, A. F., jt. author. *See* Pigott, R. W.
Moss, A. L. H. Malignant melanoma in Maoris and Polynesians in New Zealand, 73
Moss, A. L. H. & Rees, M. J. W. Metastatic malignant melanoma in muscle, 250
Moss, A. L. H., jt. author. *See* Waterhouse, N.
Murphy, R. C., jt. author. *See* Lawrence, W. T.

N

Naide, Y., jt. author. *See* Nakajima, T.
Nakajima, T., Naide, Y. & Kami, T. Repair of a prostatomembranous urethral structure with a gracilis myocutaneous flap, 539
Nakajima, T., Yoshimura, Y. & Kami, T. Reconstruction of the lower lip with a fan-shaped flap based on the facial artery, 52
Nancarrow, J. D. & Kay, S. P. Nasal retrieval forceps: a modified Kocher forceps, 411
Nancarrow, J. D., jt. author. *See* Kay, S.
Nomura, S., jt. author. *See* Honda, T.
Nosoh, Y., jt. author. *See* Miyamoto, Y.

O

O'Brien, C. J., Harris, J. P. & May, J. Doppler ultrasound in the evaluation of experimental microvascular grafts, 596
O'Brien, C. J., Harvey, K. M., Harris, J. P. & May, J. Shoulder girdle resection for giant basal cell carcinoma, 566
Ochi, K., jt. author. *See* Ohtsuka, H.
Ohnishi, K., jt. author. *See* Maruyama, Y.
Ohtsuka, H., Ochi, K. & Seike, H. Reconstruction of a large abdominal wall defect with an ilio-lumbar bi-pedicled flap, 327
Oneal, R. M., Rohrich, R. J. & Izenberg, P. H. Skin expansion as an adjunct to reconstruction of the external ear, 517
Özmen, E., jt. author. *See* Acartürk, S.

P

Page, R. E., jt. author. *See* Emerson, D. J. M.
Panting, Z., jt. author. *See* Green, M. F.
Parkash, S. & Gajendran, V. Meatoplasty for gross urethral stenosis: a technique of repair and a review of 32 cases, 117
Parkash, S. & Gajendran, V. Surgical reconstruction of the sequelae of penile and scrotal gangrene: a plea for simplicity, 354
Pigott, R. W., Rieger, F. W. & Moodie, A. F. Tongue flap repair of cleft palate fistulae, 285
Poole, M. D., jt. author. *See* Godfrey, A. M.
Porter, J. M., Griffiths, R. W. & McNeill, D. C. The surgical management of intractable venous ulceration in the lower limbs: excision, decompression of the limb and split-skin grafting, 179
Prasad, S., jt. author. *See* Thatte, R. L.
Price, A. H. K., jt. author. *See* Campbell Reid, D. A.
Psillakis, J. M., jt. author. *See* Avelar, J. M.

R

Raje, jt. author. *See* Gopalakrishna, A.
Ramos, R. R., Andrews, J. M. & Ferreira, L. M. A gracilis myocutaneous flap for reconstruction of the scrotum, 171
Rayner, C. R. W. Oral mucosal flaps in midfacial reconstruction, 43
Rayner, C. R. W., jt. author. *See* Holmes, J.
Rees, M. J. W., jt. author. *See* Moss, A. L. H.
Reid, C. D. & Taylor, G. I. The vascular territory of the acromiothoracic axis, 194
Reus, W. F., Robson, M. C., Zachary, L. & Heggers, J. P. Acute effects of tobacco smoking on blood flow in the cutaneous micro-circulation, 213
Riefkohl, R., jt. author. *See* Georgiade, G. S.
Rieger, F.W., jt. author. *See* Pigott, R. W.
Robson, M. C., jt. author. *See* Lawrence, W. T.
Robson, M. C., jt. author. *See* Reus, W. F.
Rohrich, R. J., jt. author. *See* Godfrey, A. M.
Rohrich, R. J., jt. author. *See* Oneal, R. M.
Rowsell, A. R. The intra-uterine healing of foetal muscle wounds: experimental study in the rat, 635
Rowsell, A. R., Davies, D. M., Eisenberg, N. & Taylor, G. I. The anatomy of the subscapular-thoracodorsal arterial system: study of 100 cadaver dissections, 574
Rowsell, A. R. & Godfrey, A. M. A fortuitous donor site for full-thickness skin grafts in the correction of syndactyly, 31
Rowsell, A. R., jt. author. *See* Godfrey, A. M.

S

Saxby, P. J., Griffiths, R. W., Corbishley, C. M. & Briggs, J. C. A study of the thickness of uninvolved dermis beneath cutaneous malignant melanoma: the ratio of uninvolved dermis to tumour thickness (DT:TT) as a prognostic index, 496
Scheflan, M., jt. author. *See* Georgiade, G. S.
Seike, H., jt. author. *See* Ohtsuka, H.
Sheffield, L., jt. author. *See* David, D. J.
Shimamura, K., jt. author. *See* Honda, T.
Siemssen, S. J. & Anagnostaki, T. Aggressive fibromatosis (extra-abdominal desmoids) of the head and neck, 453
Simpson, D., jt. author. *See* David, D. J.
Sleigh, J. D., jt. author. *See* Sweeney, G.
Smahel, J. & Jentsch, B. Spontaneous anastomosis of vessels approximately 100 μ in diameter: an experimental study, 236
Song, Y. G., Chen, G. Z. & Song, Y. L. The free thigh flap: a new free flap concept based on the septocutaneous artery, 149
Song, Y. L., jt. author. *See* Song, Y. G.
Soutar, D. S. & Tanner, N. S. The radial forearm flap in the management of soft tissue injuries of the hand, 18
Stapleton, M. J., jt. author. *See* Marshall, D. R.
Stevenson, J. H. & Thomson, H. G. Burn injury to the face with associated fracture caused by a flare gun: a case report, 61
Stranc, M. F. & Fogel, M. L. Lip function: a study of oral continence, 550
Stranc, M. F., jt. author. *See* Fogel, M. L.
Stricker, M., Meley, M. Chassagne, J. F. & Beurey, J. Congenital cranio-facial dysmorphosis associated with Ito's syndrome (incontinentia pigmenti achromians): a case report, 472
Subbuswamy, S. G., jt. author. *See* Jones, N. F.
Sully, L., jt. author. *See* Batchelor, A. G. G.
Sweeney, G., Watson, J. D., McGregor, I. A. & Sleigh, J. D. Successful prophylaxis with tinidazole of infection after major head and neck surgery for malignant disease, 35

T

Takeuchi, S., jt. author. *See* Maruyama, Y.
Tanner, N. S., jt. author. *See* Soutar, D. S.
Taylor, G. I., Corlett, R. J. & Boyd, J. B. The versatile deep inferior epigastric (inferior rectus abdominis) flap, 330
Taylor, G. I., jt. author. *See* Reid, C. D.
Taylor, G. I., jt. author. *See* Rowsell, A. R.
Taylor, G. I., jt. author. *See* Townsend, P. L. G.
Thatte, R. L. & Laud, N. The use of the fascia of the lower leg as a roll-over flap: its possible clinical applications in reconstructive surgery, 88
Thatte, R. L. & Prasad, S. Radical muscle mobilisation in the surgical repair of a unilateral cleft lip: a follow up report, 296
Thomson, E. R. E., jt. author. *See* Green, M. F.
Thomson, H. G., jt. author. *See* Stevenson, J. H.
Timmons, M. J. Specialist FRCS in plastic surgery: irritating irrelevance or desirable diploma? Kay Kilner Prize Essay: 1983, 303
Ti-Sheng Chang. Anterior urethral advancement: a one-stage technique for hypospadias repair, 530
Townsend, P. L. G. & Taylor, G. I. Vascularised nerve grafts using composite arterialised neuro-venous systems, 1
Townsend, P. L. G., jt. author. *See* Waterhouse, N.
Tutein Nolthenius-Puylaert, M.B.J.E., jt. author. *See* Wildenberg, F. A. J. M. van den
Twisk, R. van. A combination of scissors and micro-forceps: a new microsurgical instrument, 631

V

Viterbo, F., jt. author. *See* Avelar, J. M.
Voci, V. E., jt. author. *See* Georgiade, G. S.

W

Wallace, A. F. Joseph: The father of cosmetic surgery. The First Joseph Lecture, April 1983, 412
Ward, C. M., jt. author. *See* Fatah, M. F.
Ward, D. J. & Bennett, J. P. The long-term results of the use of human amnion in the treatment of leg ulcers, 191
Ward, D. J., Breach, N. M. & Hall-Smith, S. P. Acral lentiginous melanoma: an illustrative case report and brief review of the literature, 619
Warren, E. A., jt. author. *See* Green, A. R.
Waterhouse, N., Moss, A. L. H. & Townsend, P. L. G. Lower limb salvage using an extended free radial forearm flap, 394
Watson, J. D. Fasciotomy and Z-plasty in the management of Dupuytren's contracture, 27
Watson, J. D., jt. author. *See* Sweeney, G.
Webster, M. H. C., jt. author. *See* Cooper, G. G.
Wei, W. I., Lam, K. H. & Wong, J. The true pectoralis major myocutaneous island flap: an anatomical study, 568
White, J., jt. author. *See* David, D. J.
Widdowson, W. P., jt. author. *See* Mehrotra, O. N.
Wildenberg, F. A. J. M. van den, Goris, R. J. A. & Tutein Nolthenius-Puylaert, M. B. J. E. Free revascularised periosteum transplantation: an experimental study, 226
Wilson, G. R. & Jones, B. M. The damaging effect of smoking on digital revascularisation: two further case reports, 613
Wilson, J. P., jt. author. *See* Mehrotra, O. N.
Wong, J., jt. author. *See* Wei, W. I.

Y

Yamauchi, S., jt. author. *See* Honda, T.
Yoshimura, M., jt. author. *See* Honda, T.
Yoshimura, Y., jt. author. *See* Nakajima, T.

Z

Zachary, L., jt. author. *See* Reus, W. F.
Zbrodowski, Z., jt. author. *See* Marty, F. M.